

WHITE SPIRIT - SALES SPECIFICATION

Test Description	Test Method	Unit of Measure	Specification
Appearance	Visual	-	Clear
Viscosity	ASTM D 2196	CPS	0.4 – 0.5
Colour	ASTM D 156	Pt-Co	Min 28
Sp. Gravity at 20 °C	ASTM D 4052	Kg/l	0.76 – 0.8
Flash Point	ASTM D 93	°C	Min 38
Aniline Point	ASTM D 611	°C	50 - 57
Distillation IBP	ASTM D 86	°C	Min 139
Distillation DP	ASTM D 86	°C	Max 233
Aromatics	ASTM D 1319	% Volume	8-22
Surface Tension @ 20 °C	Du Nuoy Ring	mN/m	24-30
Moisture Content	ASTM D 1364	%	< 0.1
Acidity Content	e ASTM D 1093	-	Neutral
Copper Corrosion	ASTM D 130	-	Max 1